

Domain**Number System****NS**

Grade 6 Apply and extend previous understandings of multiplication and division to divide fractions by fractions.

Standard 1 CC.6.NS.1 Apply and extend previous understandings of multiplication and division to divide fractions by fractions. Interpret and compute quotients of fractions, and solve word problems involving division of fractions by fractions, e.g., by using visual fraction models and equations to represent the problem. For example, create a story context for $(2/3) \div (3/4)$ and use a visual fraction model to show the quotient; use the relationship between multiplication and division to explain that $(2/3) \div (3/4) = 8/9$ because $3/4$ of $8/9$ is $2/3$. (In general, $(a/b) \div (c/d) = ad/bc$.) How much chocolate will each person get if 3 people share $1/2$ lb of chocolate equally? How many $3/4$ -cup servings are in $2/3$ of a cup of yogurt? How wide is a rectangular strip of land with length $3/4$ mi

Grade 6 Compute fluently with multi-digit numbers and find common factors and multiples.

Standard 2 CC.6.NS.2 Compute fluently with multi-digit numbers and find common factors and multiples. Fluently divide multi-digit numbers using the standard algorithm.

Grade 6 Compute fluently with multi-digit numbers and find common factors and multiples.

Standard 3 CC.6.NS.3 Compute fluently with multi-digit numbers and find common factors and multiples. Fluently add, subtract, multiply, and divide multi-digit decimals using the standard algorithm for each operation.

Grade 6 Compute fluently with multi-digit numbers and find common factors and multiples.

Standard 4 CC.6.NS.4 Compute fluently with multi-digit numbers and find common factors and multiples. Find the greatest common factor of two whole numbers less than or equal to 100 and the least common multiple of two whole numbers less than or equal to 12. Use the distributive property to express a sum of two whole numbers 1–100 with a common factor as a multiple of a sum of two whole numbers with no common factor. For example, express $36 + 8$ as $4(9 + 2)$.

Grade 6 Apply and extend previous understandings of numbers to the system of rational numbers.

Standard 5 CC.6.NS.5 Apply and extend previous understandings of numbers to the system of rational numbers. Understand that positive and negative numbers are used together to describe quantities having opposite directions or values (e.g., temperature above/below zero, elevation above/below sea level, debits/credits, positive/negative electric charge); use positive and negative numbers to represent quantities in real-world contexts, explaining the meaning of 0 in each situation.

Grade 6 Apply and extend previous understandings of numbers to the system of rational numbers.

Standard 6 CC.6.NS.6 Apply and extend previous understandings of numbers to the system of rational numbers. Understand a rational number as a point on the number line. Extend number line diagrams and coordinate axes familiar from previous grades to represent points on the line and in the plane with negative number coordinates.

Grade 6 Apply and extend previous understandings of numbers to the system of rational numbers.

Standard 6a CC.6.NS.6a Recognize opposite signs of numbers as indicating locations on opposite sides of 0 on the number line; recognize that the opposite of the opposite of a number is the number itself, e.g., $-(-3) = 3$, and that 0 is its own opposite.



Grade 6 Apply and extend previous understandings of numbers to the system of rational numbers.

Standard 6b CC.6.NS.6b Understand signs of numbers in ordered pairs as indicating locations in quadrants of the coordinate plane; recognize that when two ordered pairs differ only by signs, the locations of the points are related by reflections across one or both axes.

Grade 6 Apply and extend previous understandings of numbers to the system of rational numbers.

Standard 6c CC.6.NS.6c Find and position integers and other rational numbers on a horizontal or vertical number line diagram; find and position pairs of integers and other rational numbers on a coordinate plane.

Grade 6 Apply and extend previous understandings of numbers to the system of rational numbers.

Standard 7 CC.6.NS.7 Apply and extend previous understandings of numbers to the system of rational numbers. Understand ordering and absolute value of rational numbers.

Grade 6 Apply and extend previous understandings of numbers to the system of rational numbers.

Standard 7a CC.6.NS.7a Interpret statements of inequality as statements about the relative position of two numbers on a number line diagram. For example, interpret $-3 > -7$ as a statement that -3 is located to the right of -7 on a number line oriented from left to right.

Grade 6 Apply and extend previous understandings of numbers to the system of rational numbers.

Standard 7b CC.6.NS.7b Write, interpret, and explain statements of order for rational numbers in real-world contexts. For example, write $-3^{\circ}\text{C} > -7^{\circ}\text{C}$ to express the fact that -3°C is warmer than -7°C .

Grade 6 Apply and extend previous understandings of numbers to the system of rational numbers.

Standard 7c CC.6.NS.7c Understand the absolute value of a rational number as its distance from 0 on the number line; interpret absolute value as magnitude for a positive or negative quantity in a real-world situation. For example, for an account balance of -30 dollars, write $|-30| = 30$ to describe the size of the debt in dollars.

Grade 6 Apply and extend previous understandings of numbers to the system of rational numbers.

Standard 7d CC.6.NS.7d Distinguish comparisons of absolute value from statements about order. For example, recognize that an account balance less than -30 dollars represents a debt greater than 30 dollars.

- Grade 6 Apply and extend previous understandings of numbers to the system of rational numbers.
- Standard 8 CC.6.NS.8 Apply and extend previous understandings of numbers to the system of rational numbers. Solve real-world and mathematical problems by graphing points in all four quadrants of the coordinate plane. Include use of coordinates and absolute value to find distances between points with the same first coordinate or the same second coordinate.
- Grade 7 Apply and extend previous understandings of operations with fractions to add, subtract, multiply, and divide rational numbers.
- Standard 1 CC.7.NS.1 Apply and extend previous understandings of operations with fractions to add, subtract, multiply, and divide rational numbers. Apply and extend previous understandings of addition and subtraction to add and subtract rational numbers; represent addition and subtraction on a horizontal or vertical number line diagram.
- Grade 7 Apply and extend previous understandings of operations with fractions to add, subtract, multiply, and divide rational numbers.
- Standard 1a CC.7.NS.1a Describe situations in which opposite quantities combine to make 0. For example, a hydrogen atom has 0 charge because its two constituents are oppositely charged.
- Grade 7 Apply and extend previous understandings of operations with fractions to add, subtract, multiply, and divide rational numbers.
- Standard 1b CC.7.NS.1b Understand $p + q$ as the number located a distance $|q|$ from p , in the positive or negative direction depending on whether q is positive or negative. Show that a number and its opposite have a sum of 0 (are additive inverses). Interpret sums of rational numbers by describing real-world contexts.
- Grade 7 Apply and extend previous understandings of operations with fractions to add, subtract, multiply, and divide rational numbers.
- Standard 1c CC.7.NS.1c Understand subtraction of rational numbers as adding the additive inverse, $p - q = p + (-q)$. Show that the distance between two rational numbers on the number line is the absolute value of their difference, and apply this principle in real-world contexts.
- Grade 7 Apply and extend previous understandings of operations with fractions to add, subtract, multiply, and divide rational numbers.
- Standard 1d CC.7.NS.1d Apply properties of operations as strategies to add and subtract rational numbers.
- Grade 7 Apply and extend previous understandings of operations with fractions to add, subtract, multiply, and divide rational numbers.
- Standard 2 CC.7.NS.2 Apply and extend previous understandings of operations with fractions to add, subtract, multiply, and divide rational numbers. Apply and extend previous understandings of multiplication and division and of fractions to multiply and divide rational numbers.

Grade 7 Apply and extend previous understandings of operations with fractions to add, subtract, multiply, and divide rational numbers.

Standard 2a CC.7.NS.2a Understand that multiplication is extended from fractions to rational numbers by requiring that operations continue to satisfy the properties of operations, particularly the distributive property, leading to products such as $(-1)(-1) = 1$ and the rules for multiplying signed numbers. Interpret products of rational numbers by describing real-world contexts.

Grade 7 Apply and extend previous understandings of operations with fractions to add, subtract, multiply, and divide rational numbers.

Standard 2b CC.7.NS.2b Understand that integers can be divided, provided that the divisor is not zero, and every quotient of integers (with non-zero divisor) is a rational number. If p and q are integers then $-(p/q) = (-p)/q = p/(-q)$. Interpret quotients of rational numbers by describing real-world contexts.

Grade 7 Apply and extend previous understandings of operations with fractions to add, subtract, multiply, and divide rational numbers.

Standard 2c CC.7.NS.2c Apply properties of operations as strategies to multiply and divide rational numbers.

Grade 7 Apply and extend previous understandings of operations with fractions to add, subtract, multiply, and divide rational numbers.

Standard 2d CC.7.NS.2d Convert a rational number to a decimal using long division; know that the decimal form of a rational number terminates in 0s or eventually repeats.

Grade 7 Apply and extend previous understandings of operations with fractions to add, subtract, multiply, and divide rational numbers.

Standard 3 CC.7.NS.3 Apply and extend previous understandings of operations with fractions to add, subtract, multiply, and divide rational numbers. Solve real-world and mathematical problems involving the four operations with rational numbers. (Computations with rational numbers extend the rules for manipulating fractions to complex fractions.)

Grade 8 Know that there are numbers that are not rational, and approximate them by rational numbers.

Standard 1 CC.8.NS.1 Understand informally that every number has a decimal expansion; the rational numbers are those with decimal expansions that terminate in 0's or eventually repeat. Know that other numbers are called irrational.

Grade 8 Know that there are numbers that are not rational, and approximate them by rational numbers.

Standard 2 CC.8.NS.2 Use rational approximations of irrational numbers to compare the size of irrational numbers, locate them approximately on a number line diagram, and estimate the value of expressions (e.g., π^2). For example, by truncating the decimal expansion of $\sqrt{2}$, show that $\sqrt{2}$ is between 1 and 2, then between 1.4 and 1.5, and explain how to continue on to get better approximations.